

## Filter Fan



## Description

<b>Order Number:</b>	4610D2000
<b>Brand Name:</b>	SOLIFLEX
<b>Colour:</b>	RAL 7035
<b>Housing Material:</b>	ABS Plastic
<b>Ingress Protection:</b>	IP 54, Type 12, 3R
<b>Optional:</b>	Different housing colors available on request
<b>Approvals:</b>	CE, cURus, cULus, CSA

### Accessories:



[Hose-proof protection hood FC 4000 300](#)



[Hose-proof protection hood FC 4000 300 FDA](#)



[Adjustable Thermostat NO](#)

## Technical Data

<b>Operating Temperature Range:</b>	-10°C - 55°C
<b>Air flow unimpeded:</b>	225 m <sup>3</sup> /h
<b>Static pressure:</b>	99 Pa
<b>Dimensions A x B x C (D+E):</b>	250 x 250 x 124.2 mm
<b>Weight:</b>	1.4 kg
<b>Cut out dimensions:</b>	223 x 223 (+1.5) mm
<b>Voltage / Frequency:</b>	24 V DC
<b>Rated current:</b>	0.71 A
<b>Power consumption:</b>	17 W
<b>Wall thickness:</b>	1.5 - 2.5 mm
<b>Filter class:</b>	G3 according to EN 779
<b>Installation:</b>	Elastic clips
<b>Noise level:</b>	58 dB(A)


Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).


> [Overview Product Group SOLIFLEX - Filter fans & exhaust filters](#)

**Air flow:**

Q = Air flow [m<sup>3</sup>/h]  
 P = Static pressure [Pa]



[click image to enlarge](#)

**Cut Out Dimension:**


[click image to enlarge](#)

## Order Information

<b>IN RAL 9005</b>	4610D2003
<b>Taric code</b>	84145915
<b>GTIN (EAN)</b>	5350604100442