

**Sensor operated LED lamp. Only for installation inside industrial control cabinets.**



## Description

|  |                             |
|--|-----------------------------|
| <b>Order Number:</b>                     | 490560612                   |
| <b>Colour:</b>                           | RAL 9003                    |
| <b>Housing Material:</b>                 | Mild steel, powder coated   |
| <b>IP protection class to EN 60 529:</b> | IP 20                       |
| <b>Included:</b>                         | Motion sensor               |
| <b>SK notes:</b>                         | Suitable for damp locations |
| <b>Approvals:</b>                        | CE, cURus                   |
| <b>UL File Number:</b>                   | E358386                     |

### Accessories:



Power cable DC black, 0.7 m



Power cable DC black, 3 m

## Technical Data


|                                     |   |
|-------------------------------------|---|
| <b>Operating Temperature Range:</b> | -30°C - 50°C                              |
| <b>Mounting:</b>                    | M5 screws (x2)                            |
| <b>Dimensions A x B x C (D+E):</b>  | 420 x 90 x 45 mm                          |
| <b>Weight:</b>                      | 2 kg                                      |
| <b>Voltage / Frequency:</b>         | 24 V DC                                   |
| <b>Voltage tolerance:</b>           | Only use SELV-DC power sources            |
| <b>Rated current:</b>               | 5 A                                       |
| <b>Power consumption:</b>           | 12 W                                      |
| <b>Lamp:</b>                        | EB-7801                                   |
| <b>Luminosity:</b>                  | 1500 lm / 5100 K                          |
| <b>Lifetime:</b>                    | 60,000 hrs. @ 20°C                        |
| <b>Connection:</b>                  | Recommended external backup fuse: 7 A (T) |

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview Product Group STRIPLITE - LED Enclosure Lights](#)

**Performance graph:**



[click image to enlarge](#)

## Order Information

**Taric code**

94054990

---