

Enclosure light 700 Lm



Description

| | |
|----------------------------|--|
| Order Number: | 400076 |
| Brand Name: | STRIPLITE |
| Colour: | Top cover frosted / body blue |
| Housing Material: | PC plastic |
| Ingress Protection: | IP 20 |
| Included: | Built-in motion sensor, switch off time 5 min. mounting accessories |
| Note: | class II Energy class F |
| Approvals: | CE |

Accessories:



Female Connector



Male Connector



Power Cable Orange



Power Cable with Door Contact 3 m



Daisy Chain Cable Orange 0.5 m



Daisy Chain Cable Orange 1 m




DIN rail clip

Technical Data

| | |
|-------------------------------------|-----------------------------------|
| Operating Temperature Range: | -30°C - 70°C UL max temp: 60°C |
| Mounting: | Magnets / Clips |
| Dimensions A x B x C (D+E): | 357.4 x 32 x 35.5 mm |
| Weight: | 140 gr. |
| Voltage / Frequency: | 120-230 V ~ 50/60 Hz |
| Power consumption: | 8 Watt |
| Lamp: | LED, 6500K |
| Luminosity: | 700 lm |
| Lifetime: | 60.000 hrs. @ 20°C |
| Connection: | Connector system |

Please click on the graphics to download.
More CAD drawings can be found under [Product Download](#).
> [Overview Product Group STRIPLITE - LED Enclosure Lights](#)

**Cut Out
Dimension:**



[click image to enlarge](#)

Order Information

Taric code

94054231
