

## LED light 300 Lm



### Description

|                            |                                                                                                                   |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Order Number:</b>       | 400012                                                                                                            |
| <b>Brand Name:</b>         | STRIPLITE                                                                                                         |
| <b>Colour:</b>             | Top cover transparent / body blue                                                                                 |
| <b>Housing Material:</b>   | PC / ABS plastic                                                                                                  |
| <b>Ingress Protection:</b> | IP 20                                                                                                             |
| <b>Included:</b>           | Built-in motion sensor, switch off time 5 min.<br>mounting accessories                                            |
| <b>Approvals:</b>          | CE, cURus                                                                                                         |
| <b>Accessories:</b>        |  <a href="#">DIN rail clip</a> |

## Technical Data


|                                     |                                   |
|-------------------------------------|-----------------------------------|
| <b>Operating Temperature Range:</b> | -30°C - 70°C<br>UL max temp: 60°C |
| <b>Mounting:</b>                    | Magnets / Clips                   |
| <b>Dimensions A x B x C (D+E):</b>  | 357.4 x 32 x 35.5 mm              |
| <b>Weight:</b>                      | 140 gr.                           |
| <b>Voltage / Frequency:</b>         | 12 V DC (NEC Class 2 supply)      |
| <b>Power consumption:</b>           | 4 Watt                            |
| <b>Lamp:</b>                        | LED, 120° angle, 6500K            |
| <b>Luminosity:</b>                  | 300 Lm                            |
| <b>Lifetime:</b>                    | 50.000 hrs. @ 20°C                |
| <b>Lifetime fan:</b>                | .                                 |
| <b>Connection:</b>                  | Connector system                  |

Please click on the graphics to download.

More CAD drawings can be found under [Product Download](#).

> [Overview Product Group STRIPLITE - LED Enclosure Lights](#)

**Cut Out  
Dimension:**



[click image to enlarge](#)

## Order Information

|                   |               |
|-------------------|---------------|
| <b>Taric code</b> | 94054099      |
| <b>GTIN (EAN)</b> | 5350604000308 |