

Air to Water Heat Exchanger




Description

Order Number:	751221B001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 55 / Type 12, 3, 3R, 4, 4X
Included:	Digital Steuerung & Magnetventil
Approvals:	CE, cURus, cULus

Technical data

Cooling capacity 95F/W50F (53 GPH):	1300 W
Coolant:	Water, light oils or similar
Operating temperature range:	1°C - 60°C
Air volume flow (system / unimpeded):	330 / 500 m³/h
Mounting:	Wandanbau / Halbeinbau
Dimension H x W x D:	950 x 305 x 192 (37+155) mm
Weight:	17 kg
Voltage / Frequency:	380-415 V 50 Hz 3~ 400-460 V 60 Hz 3~
Starting current:	0.6 / 0.6 A
Max. current:	0.3 / 0.3 A
Max. power:	80 / 100 W
Pressure water circuit:	10 bar
Water connection:	Rp 3/8" - Innengewinde (mit optionalen Anschlüssen für Rohrrinnendurchmesser von 10 mm)
Fuse:	1 A (T)
Connection:	5-polige Anschlussklemme für Signale 4-polige Anschlussklemme für Spannung

Cut out dimensions:



Order Information

Stainless steel housing part no.	751221B62
Verpackungsmaße	1042 x 405 x 242 mm
Bruttogewicht	21 kg
Taric code	84158300