

Air / water heat exchanger




Description

Order Number:	755521B001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 55 / Type 12, 3, 3R, 4, 4X
Included:	Digital Steuerung / Magnetventil
Approvals:	CE, cURus, cULus

Technical data

Cooling capacity 95F/W50F (53 GPH):	5500 W (800l/h)
Coolant:	Water, light oils or similar
Operating temperature range:	1°C - 60°C
Air volume flow (system / unimpeded):	780 / 1,100 m ³ /h
Mounting:	Wandanbau / Halbeinbau
Dimension H x W x D:	1,550 x 455 x 232 (37+195) mm
Weight:	39 kg
Voltage / Frequency:	380-415 V 50 Hz 3~ 400-460 V 60 Hz 3~
Starting current:	0.9 / 1.0 A
Max. current:	0.4 / 0.5 A
Max. power:	170 / 250 W
Pressure water circuit:	10 bar
Water connection:	Rp 1/2" - Innengewinde (mit optionalen Anschlüssen für Rohrinne Durchmesser von 13 mm)
Noise level:	5.5 kW L35W10 (800l/h)
Fuse:	2 A (T)
Connection:	5-polige Anschlussklemme für Signale 4-polige Anschlussklemme für Spannung

Cut out dimensions:



Order Information

Mit Edelstahlgehäuse AISI 304 (V2A) Bestell Nr.	755521B62
Verpackungsmaße	1642 x 555 x 299 mm
Bruttogewicht	47 kg
Zolltarifnummer	84158300