

## Air to Water Heat Exchanger




### Description

<b>Order Number:</b>	750621B001
<b>Brand Name:</b>	SLIMLINE HEX
<b>Color:</b>	RAL 7035
<b>Housing Material:</b>	Mild steel, powder coated
<b>Ingress protection:</b>	IP 55 / Type 12, 3, 3R, 4, 4X
<b>Included:</b>	Digital Steuerung / Magnetventil
<b>Approvals:</b>	CE, cURus, cULus

## Technical data

<b>Cooling capacity 95F/W50F (53 GPH):</b>	700 W
<b>Coolant:</b>	Water, light oils or similar
<b>Operating temperature range:</b>	1°C - 60°C
<b>Air volume flow (system / unimpeded):</b>	110 / 220 m <sup>3</sup> /h
<b>Mounting:</b>	Wandanbau / Halbeinbau
<b>Dimension H x W x D:</b>	600 x 250 x 127 (37 + 90) mm
<b>Weight:</b>	8.5 Kg
<b>Voltage / Frequency:</b>	380/415 V 50 Hz 2~ 400/460 V 60 Hz 2~
<b>Starting current:</b>	1.0 A
<b>Max. current:</b>	0.25 A
<b>Max. power:</b>	35 W
<b>Pressure water circuit:</b>	10 bar
<b>Water connection:</b>	Rp 3/8" - Innengewinde (mit optionalen Anschlüssen für Rohrrinnendurchmesser von 10 mm)
<b>Fuse:</b>	1 A (T)
<b>Connection:</b>	5-polige Anschlussklemme für Signale 4-polige Anschlussklemme für Spannung

**Cut out dimensions:**



## Order Information

<b>Mit Edelstahlgehäuse AISI 304 (V2A) Bestell Nr.</b>	750621B001
<b>Verpackungsmaße</b>	692 x 285 x 192 mm
<b>Bruttogewicht</b>	9.5 Kg
<b>Zolltarifnummer</b>	84158300