

## Thermal f.b. thermostat





### Description

<b>Order Number:</b>	301320
<b>Brand Name:</b>	SOLIFLEX
<b>Color:</b>	Grey (RAL 7011)
<b>Housing Material:</b>	PC plastic
<b>Ingress protection to EN 60 529:</b>	IP 20
<b>Note:</b>	Hyst. 4-7K/1K / Sw.Pt.tol $\pm$ 3K
<b>Approvals:</b>	CE, cURus
<b>UL File Number:</b>	E358385

## Technical data

<b>Operating temperature range:</b>	32°F -140°F
<b>Setting range:</b>	0°C - 60°C
<b>Mounting:</b>	Clips for DIN rail 1.38 inch
<b>Dimension H x W x D:</b>	2.36 x 1.54 x 2.10 inch
<b>Weight:</b>	2.26 oz.
<b>Voltage / Frequency:</b>	AC:250V/10A(res)/2A(ind) DC:72V/30W UL: max.250 VAC NC/NO: 10/5 A (res)
<b>Lifetime:</b>	100,000 hrs.
<b>Connection:</b>	4-pole terminal, clamping torque 0.5 Nm max. solid wire - AWG 14 max., stranded wire - AWG 16 max.

**Dimensions:**

## Order Information

<b>Zolltarifnummer</b>	90321080
<b>EAN Nummer</b>	5350604010383