

## Dachaufsatz Kühlgerät




## Description

<b>Order Number:</b>	950600001
<b>Brand Name:</b>	SLIMLINE PRO TOP
<b>Color:</b>	RAL 7035
<b>Housing Material:</b>	Mild steel, powder coated
<b>Ingress protection:</b>	NEMA 12
<b>Approvals:</b>	CE

## Technical data

<b>Cooling capacity 95F/95F:</b>	650 W
<b>Cooling capacity 95F/122F:</b>	580W
<b>Compressor type:</b>	Rotary piston
<b>Refrigerant / GWP:</b>	R134a / 1430
<b>Refrigerant charge:</b>	120 g / 4.23 oz.
<b>High / low pressure:</b>	28 / 6 bar 406 / 87 psig
<b>Operating temperature range:</b>	5°C - 55°C
<b>Air volume flow (system / unimpeded):</b>	Umgebungskreislauf: 408 m <sup>3</sup> /h Schrankkreislauf: 265 m <sup>3</sup> /h
<b>Mounting:</b>	Roof mounted
<b>Dimension H x W x D:</b>	368 x 400 x 325 mm
<b>Weight:</b>	16.4 kg
<b>Voltage / Frequency:</b>	230 V ~ 50/60 Hz
<b>Current 95F95F:</b>	1.7 / 1.6 A
<b>Starting current:</b>	6 A
<b>Max. current:</b>	2.2 A
<b>Nominal power 95F95F:</b>	337 W
<b>Fuse:</b>	15 A (T)
<b>Short-circuit current rating:</b>	5 kA
<b>Connection:</b>	4 - poliger Stecker für Stromversorgung 5 - poliger Stecker für Signale 3 - poliger Stecker für RS 485 MODBUS

**Cut out dimensions:**



## Order Information

<b>Mit Edelstahlgehäuse Bestell Nr.</b>	95060002
---	----------

<b>Zolltarifnummer</b>	84158200
------------------------	----------