

Air / water heat exchanger



Description

Order Number:	755521B001
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 55 / Type 12, 3, 3R, 4, 4X
Included:	Digital Steuerung / Magnetventil
Approvals:	CE, cURus, cULus

Technical data

Cooling capacity 95F/W50F (53 GPH): 5500 W (800l/h)

Coolant: Water, light oils or similar

Operating temperature range: 1°C - 60°C

Air volume flow (system / unimpeded): 780 / 1,100 m³/h

Mounting: Wandanbau / Halbeinbau

Dimension H x W x D: 1,550 x 455 x 232 (37+195) mm

Weight: 39 kg

Voltage / Frequency: 380-415 V 50 Hz 3~
400-460 V 60 Hz 3~

Starting current: 0.9 / 1.0 A

Max. current: 0.4 / 0.5 A

Max. power: 170 / 250 W

Pressure water circuit: 10 bar


Water connection: Rp 1/2" - Innengewinde (mit optionalen Anschlüssen für Rohrrinnendurchmesser von 13 mm)

Noise level: 5.5 kW L35W10 (800l/h)

Fuse: 2 A (T)

Connection: 5-polige Anschlussklemme für Signale
4-polige Anschlussklemme für Spannung

Cut out dimensions:



Order Information

Mit Edelstahlgehäuse AISI 304 (V2A) Bestell Nr.	755521B62
Verpackungsmaße	1642 x 555 x 299 mm
Bruttogewicht	47 kg
Zolltarifnummer	84158300