

Dachaufsatz Kühlgerät




Description

Order Number:	950600001
Brand Name:	SLIMLINE PRO TOP
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	NEMA 12
Approvals:	CE

Technical data

Cooling capacity 95F/95F:	650 W
Cooling capacity 95F/122F:	580W
Compressor type:	Rotary piston
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	120 g / 4.2 oz.
High / low pressure:	28 / 6 bar 406 / 88 psi
Operating temperature range:	5°C - 55°C
Air volume flow (system / unimpeded):	Umgebungskreislauf: 408 m³/h Schrankkreislauf: 265 m³/h
Mounting:	Roof mounted
Dimension H x W x D:	368 x 400 x 325 mm
Weight:	16.8 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	1.7 / 1.6 A
Starting current:	6 A
Max. current:	2.2 A
Nominal power 95F95F:	340 / 360W
Max. power:	495 W
Fuse:	15 A (T)
Short-circuit current rating:	5 kA
Connection:	4 - poliger Stecker für Stromversorgung 5 - poliger Stecker für Signale 3 - poliger Stecker für RS 485 MODBUS

Cut out dimensions:



Order Information

Mit Edelstahlgehäuse Bestell Nr.	95060002
Zolltarifnummer	84158200